



ALPHATRADE
CERAMICS AND PORCELAIN TILES OUTLET

MIAMI

PORTFOLIO
June 2023



CERAMIC TILES

18"X18" – 12"X24" – 8"X24"






Pressed



Glossy



Floor



Wall



V1

Uniform



Indoors



Residential

Packing 18' x 18': 961.08 sf/pallet - 10 bx/pallet - 3,097.65 Lbs/pallet - 44 box/pallet.

Packing 12' x 12': 1,284.10 sf/pallet - 25 bx/pallet - 3,103.86 Lbs/pallet - 51 pcs/box.

AB1212PG

AB1818PG

Formats: 12"x12" - 18"x18"

Finish: Glossy


Red Body Ceramic Tile

AG824PM






AG824PM



Red Body ceramic Tile
 Finish: Matt - Format: 8" x 24"



FORMAT	PACKING INFO			
	SF/PALLE	LBS/PALLE	PCS/BOX	BXS/PALLE
8" x 24"	558.00	1.888.92	12	36



AH1818PM



AH1818PM


Red Body Ceramic Tile

Format: 18"x18"

Finish: Glossy



Pressed



Glossy



Floor



Wall



Moderate



Indoors




Residential

Packing: 961,08 sf/pallet - 3.097,65 lbs/pallet -
10pcs/box - 44 bxs/pallet.



RBB1717PM



RBB1717PM

Red Body Ceramic Tile

Size: 17" x 17"

Other sizes available as Special Order:

13" x 13" - 12" x 24"

Packaging: 17"x17": 8 pcs/box, 16.57 sf/box.



Pressed



Matt



Floor



Wall



Moderate



Indoors



Residential



Resistant

Technical Features

Dimensions | Surface flatness

	Unit	17x17	13x13	Test
Warpage diagonal	in	24.4 ± 0.5%	18.5 ± 0.5% (or Max. ± 0.08)	ASTM C499
Warpage edge	in	17.3 ± 0.5%	13.1 ± 0.5% (or Max. ± 0.08)	ASTM C499
Wedging	in	17.3 ± 0.5% (or Max. ± 0.08)	13.1 ± 0.5% (or Max. ± 0.08)	ASTM C502

Physical properties

Water absorption	%	3 < wa ≤ 6.0		ASTM C373
Breaking strength	lbf	≥ 250		ASTM C648
Visible abrasion resistance		PEI (IV)		ASTM C1027
Thermal shock resistance		Resist		ASTM C484
Crazing resistance		Resist		ASTM C424
Resistance to freeze		Resist		ASTM C1026
Dynamic coefficient of friction (DCOF)		≥ 0.42		ANSI A 137-1 Section 9,6

Chemical properties

Chemical resistance		Class A Resist ¹		ASTM C650
Stain resistance		Min Class 3		ASTM C1378

¹Avoid contact of the ceramic material with chemicals such as Muriatic Acid, Hydrofluoric Acid, Chlorine, Gasoline, Thinner, Diesel, cleaners that contain Potassium Hydroxide and other similar products, since the use of such substances can cause severe changes in the tile surface, altering its original appearance.




Red Body Ceramic Tile

BB1224RG

Format: 12"x24"


Finish: Glossy



Rectified



Pressed



Glossy



Floor



Wall



Uniform



Indoors



Residential

Packing: 557.79 Sf/pallet– 2.219,14 lbs/pallet - 9 pcs/box - 32 bxs/pallet.



Red Body Ceramic Tile



D1818PM

Format: 18"x18"

Finish: Matt



Pressed



Matt



Antislip




Floor



Wall



Moderate



Outdoors



Light
Commercial


Packaging: 10 pcs/box, 961,08 sf/pallet, 3,097.65 lbs/pallet, 44 bxs/pallet.










DB818PG

Format: 18"x18"

Finish: Glossy Red Body Ceramic Tile



-  Pressed
-  Glossy
-  Floor
-  Wall
-  V3
-  Indoors
-  Residential

Packaging: 10 pcs/box, 961,08 sf/pallet, 3,097.65 lbs/pallet, 44 bxs/pallet.











DC818PG



FBM836PM



Red Body Ceramic Tile
 Format: 8"x 36"
 Matt Finish

- 
Pressed
- 
Matt
- 
Floor
- 
Wall
- 
Moderate
- 
Indoors
- 
Residential
- 
Comply

Packaging: 8 pcs/bx, 15.5 sf/bx, box dimensions: 35.4" x 7.9"

FTG836PM



FTW836PM

FTG836PM

Red Body Ceramic Tile

Format: 8"x36"

Finish: Matt



Pressed



Matt



Floor



Wall



Moderate



Indoors



Residential



Comply

Packaging: 8 pcs/box, 15.5 sf/box, box dimensions: 35.4" x 7.9"



LG1818PM



Red Body Ceramic Tile

Format: 8"x36"

Finish: Matt



Pressed



Matt



Antislip



Floor



Wall



Moderate



Outdoors




Light
Commercial

Packaging: 10 pcs/box, 961,08 sf/pallet, 3,097.65 lbs/pallet, 44 bxs/pallet.



MB1818PG




Red Body Ceramic Tile

Format: 18"x18"

Finish: Glossy



Pressed



Glossy



Floor



Wall



Moderate



Indoors



Residential

Packing: 961,08 sf/pallet - 3.097,65 lbs/pallet - 10 pcs/box - 44 bxs/pallet.



RBD1224PM

Red Body Ceramic Tile

Format: 12"x24"

Finish: Matt



Pressed



Matt



Floor



Wall



Moderate



Indoors



Residential



Comply

Packaging: 10 pcs/bx, 19.38 sf/bx.

Dimensions | Surface flatness

Warpage diagonal	mm	1008.5±0.5%	ISO-10545-2
Warpage edge	mm	901.8±0.5%	ISO-10545-2

Physical properties

Water absorption	%	3 < wa ≤ 6.0	ISO-10545-3
Breaking strength	kg/cm ²	≥ 250	ISO-10545-4
Visible abrasion resistance	-	PEI (IV)	ISO-10545-7
Thermal shock resistance	-	Resist	ISO-10545-9
Crazing resistance	-	Resist	ISO-10545-11
Resistance to freeze	-	Resist	ISO-10545-12
Dynamic coefficient of friction (DCOF)	-	≥ 0.42	ANSI A 137-1, Section 9.6

Chemical properties

Chemical resistance	-	Resist ¹	ISO-10545-13
Stain resistance	-	Min Class 3	ISO-10545-14



C1212PG



C1212PG


Red Body Ceramic Tile

Format: 12" x 12"

Finish: Glossy



Pressed



Glossy



Floor



Wall



Moderate



Indoors



Residential

Packing: 1,284.18 sf/pallet – 3,126.41 lbs/pallet - 25 pcs/box - 51 bxs/pallet.



For Orders or More Information Please Contact:


LUIS LOPEZ - Sales Representative

sales@alphatrade-inc.com

RICCARDO GROSSO - Authorized Dealer - FIABA, LLC

sales1@alphatrade-inc.com





ALPHATRADE

6810 NW 82nd AVE

MIAMI, FL 33166

TEL: (305) 262-0357

www.alphatrade-inc.com

