



**ALPHATRADE**

CERAMICS AND PORCELAIN TILES OUTLET

# MIAMI

PORTFOLIO  
June 2023

# PORCELAIN TILES



**ALPHATRADE**



# **PORCELAIN TILES PORTFOLIO**

**FOB MIAMI**



ATSG1224RM



ATSB1224RM



ATSW1224RM



**ATSW1224RM**

Format: 12" x24"

Matt Finish

Packing: 571.57sf/plt, 32 cs/plt, 2,401.84 lbs/plt, 9 pcs/bx, 17.86 sf/bx


**ATSG1224RM**

**ATSB1224RM**





**AW1224PM**



**AW1224PM**

Porcelain Tile  
Format: 12"x 24"  
Finish: Matt



Pressed



Matt



Floor



Wall



Moderate



Indoors



Residential



Resistant




Comply

**Packing:** 571.79 sf/pallet - 32 bxs/pallet - 2.293 lbs/pallet - 9 pcs/box



**BF1224RM**



**BF1224PM**

Porcelain Tile

Finish: Matt

Format : 12" x 24"

-  Pressed
-  Matt
-  Floor
-  Wall
-  Moderate
-  Indoors
-  Residential
-  Resistant
-  Comply

**Packing:** : 571.79 sf /pallet - 32 cases/pallet - 2,293.00 lbs/pallet – 9pcs/box.



**CM1224RM**

**CM2448RM**



**CM1224RM**

**CM2448RM**

Glazed Porcelain Tile

Matt Finish

Format: 12" x 24"



Rectified



Matt



Floor



Wall



Moderate



Indoors



Light  
Commercial




Resistant





Comply

**Packing 12'x 24':** 557.80 sf/pallet - 48 bx/pallet - 2,372.00 Lbs/pallet - 6 pcs/box.



**CW1224PM**

**CW2424PM**



**CW1224PM**  
**CW2424PM**

## Glazed Porcelain Tile

Finish: Matt

Formats : 12" x 24"- 24" x 24"

Also Available:

Mosaics 2"x 2" Bullnose 3"x12"



Pressed



Matt



Floor



Wall



Moderate



Indoors



Light  
Commercial



Resistant



Comply

**Packing 12"x 24":** 571.72 sf/pallet - 32 bx/pallet - 2,401.84 Lbs/pallet - 9 pcs/box.

**Packing 24"x 24":** 477.72 sf/pallet - 30 bx/pallet - 2,225.88 Lbs/pallet - 4 pcs/box.






CC2424PM



CC2424PM



CG2424PM

## Glazed porcelain Tile

Matt Finish - Format: 24" x 24"



Pressed



Matt



Floor



Wall



Moderate



Indoors



Light  
Commercial



Resistant



DCOF  
≥ 0.42  
Comply

### PACKING INFO

FORMAT	SF/PALLET	BXS/PALLET	LBS/PALLET	PCS/BOX
24" x 24"	477.92	30	2,119.74	4



**CG2424RM**

**CG2424PM**



CW2424RM


CW2424PM

CS2424RM






24" x 24" Rectified-Pressed



24"x24" Rectified




24" x 24" Rectified-Pressed

Glazed Porcelain Tile

Matt Finish

Format: 24" x 24"



Rectified



Pressed



Matt



Floor



Wall



Slight



Indoors



Residential




Resistant





Comply

**Packing:** 571.12 sf/pallet - 32 bx/pallet - 2,401.84 Lbs/pallet - 9 pcs/box.



**G1224PR**  
**G2424MR**


**G1224PR**  
**G2424MR**



## Porcelain Tile

Formats: 12"x24" Polished Rectified

24"x24" Matt Rectified



Rectified



Polished



Matt



Floor



Wall



Slight



Indoors



Resistant

Recommended traffic according to finish: Polished: Residential - Matt: Light Commercial

12"x24": 557.76 sf/pallet - 48 bx/pallet - 11.62 sf/box - 2,700 Lbs/pallet.

24"x24": 495.68 sf/pallet - 32 bx/pallet - 15.49 sf/box - 2,400 Lbs/pallet.





# HSC Series

THROUGH BODY GLAZED PORCELAIN

32 x 32 - 24 x 48 - 16 x 32

12 x 24 AVAILABLE FINISH: MATTE - GRIP




WHITE HSC 10

GREY HSC 5

DARK GREY HSC 8



HCS3232RM HCS1632RM  
 HCS2448RM HCS1224RM HCS1224RG



GLAZED PORCELAIN  
 AVAILABLE FINISH: MATTE - GRIP  
 MOSAICS AND MURETTO AVAILABLE




MURETTO HSC 10



MOSAIC HSC 10




MURETTO HSC 10



MOSAIC HSC 10



MURETTO HSC 8



MOSAIC HSC 8

PACKING INFO				
FORMAT	SF/PALLET	BXS/PALLET	LBS/PALLET	PCS/BOX
12" x 24"	541.80	40	2,144.44	7
16" x 32"	396.46	28	1,417.77	3
32" x 32"	357.76	26	1,722.00	2
24" x 48"	325.08	42	1,884.44	1

MOSAICS 12" x 12" - 6 PCS/ BOX  
 MURETTO HSC 12" x 24" - 4 PCS / BOX






**MSB2424PM**



**MSS2424PM**

**MSS1224PM**

SILVER



## Glazed Porcelain Tile

Finish: Matt - Format : 12" x 24" - 24" x 24"



Pressed



Matt



Floor



Wall



Moderate



Indoors



Light  
Commercial



Resistant



Comply

### PACKING INFO

FORMAT	SF/PALLET	BXS/PALLET	LBS/PALLET	PCS/BOX
12" x 24"	571.79	32	2,401.84	9
24" x 24"	477.74	30	2,225.88	4

**PB1224PM**





PW1224PM



PB1224PM



PG1224PM

Glazed Porcelain Tile

Finish: Matt

Format : 12" x 24"



Pressed



Matt



Floor



Wall



Moderate



Indoors



Light  
Commerce



Resistant



Comply

**Packing:** 571.79 sf/pallet - 32 bx/pallet - 2,293.00 Lbs/pallet - 4 pcs/box.



**P2424PM**

**P1224PM**

**P2424PG**

**P1224PG**





Glazed Porcelain Tile

Finish: Matt and Glossy

Format: 24"x 24" - 12"x 24"

**Packing 24"x 24":** 628.00 sf/pallet - 15.70 sf/box - 1,958.00 Lbs/pallet - 4 pcs/box.

**Packing 12"x 24":** 928.80 sf/pallet - 60 bxs/pallet - 3,354 Lbs/pallet - 8 pcs/box.



Pressed



Matt



Floor



Wall



Moderate



Indoors



Light  
Commercial



Resistant



Comply


Also available ➡



Glossy




Residential



**PG2424PM**



**PG2424PM**



**PB2424PM**

Porcelain Tile  
Format: 24"x 24"  
Finish: Matt



Pressed



Matt



Floor



Wall



Moderate



Indoors



Residential



Resistant



Comply

**Packing:** 477.92 sf/pallet - 30 box/pallet - 2,297.88 Lbs/pallet - 4 pcs/box.

PG1224PM



PW1224PM



PG1224PM



PB1224PM

Porcelain Tile  
Format: 12"x 24"  
Finish: Matt



Pressed



Matt



Floor



Wall



Moderate



Indoors



Residential



Resistant



Comply

**Packing:** 571.78 sf/pallet - 32 box/pallet - 2,297.88 Lbs/pallet - 9 pcs/box.



# Pure White

Porcelain Tile

Finish: Matt

Format : 12" x24"

## PW1248PM



Pressed



Matt



Floor



Wall



Uniform



Indoors



Residential



Resistant




Comply

**Packing:** 571.52 sf/pallet - 32 bx/pallet - 2,282.28 Lbs/pallet - 9 pcs/box.



**RBP3232RP**  
**RBP3232RM**



**RBP3232RP**

**RBP3232RM**

Porcelain Tile

Finish: Polished – Matt

Format : 32" x 32"



Rectified



Polished



Matt



Floor



Wall



Slight



Indoors



Light  
Commercial



Resistant

PACKING INFO				
FORMAT	SF/PALLET	BXS/PALLET	LBS/PALLET	PCS/BOX
24" x 48"	557.79	36	2,915.55	2
32" x 32"	661.09	48	2,996.40	2

SCW1224RM






**SCG1224RM**




**SCS1224RM**






SCW1224RM



SCG1224RM



SCS1224RM

# Glazed Porcelain Tile

Format: 12" x 24"

Finish: Matt



Rectified



Matt



Floor



Wall



Slight



Indoors



Residential



Resistant



Comply

## Packing:

571.72 sf/pallet - 32 bx/pallet - 2,401.84 Lbs/pallet - 17.86 sf/box.

**SG1224PM**





Porcelain Tile 12" x 24"

Matte Finish



Pressed



Matte



Floor



Wall



Moderate



Indoors



Residential



Resistant

Packing: 571.79 sf/pallet - 32 bxs/pallet - 2.293 lbs/pallet - 4pcs/box.

EVALUATED FEATURE	TEST METHOD	NORM ANSI A137.1 REQUIREMENTS (Table 10)	RESULTS	CONCLUSION
<b>DIMENSIONS</b>				
			(%)      (mm)	
* Nominal Size, mm				
Nominal length:      610.0 mm	ASTM C499	$\pm 3.00\%$	0.00      0.00	Comply
Manufacturing length:      610.0 mm				
Nominal width:      300.0 mm				
Manufacturing width:      303.0 mm				
* Caliber Range				
Manufacturing length:      610.0 mm	ASTM C499	$\pm 0.50\%; \pm 2.00\text{mm}$	-0.02      -0.12	Comply
Average length:      609.9 mm				
Manufacturing width:      303.0 mm				
Average width:      303.1 mm				
* Warpage Edge, %	ASTM C485	$\pm 0.50\%; \pm 1.80\text{mm}$	0.10   0.00   0.60   0.00	Comply
* Warpage Diagonal, %	ASTM C485	$\pm 0.50\%; \pm 1.80\text{mm}$	0.05   -0.03   0.33   -0.22	Comply
* Wedging, %	ASTM C502	$\pm 0.50\%; \pm 2.00\text{mm}$	0.06   -0.02   0.42   -0.11	Comply
* Thickness, mm				
Manufacturing:      9.0 mm	ASTM C499	Max. 1.02 mm	-2.22      -0.20	Comply
Average result:      8.8 mm				
<b>PHYSICAL PROPERTIES</b>				
* Visible Abrasion Resistance	ASTM C1027	As reported	PEI IV	-
* Water Absorption, %	ASTM C373	Impervious Porcelain (P1) wa $\leq 0.5\%$	0.40	Comply
* Crazing Resistance	ASTM C424	Pass	Approved	Comply
* Breaking Strength, lbf	ASTM C648	Average $\geq 275$ Individual $\geq 250$	465 441	Comply Comply
* Dynamic coefficient of friction - DCOF Wet	ANSI A137.1 Section 9.6	$\geq 0.42$	0.45	Comply
<b>CHEMICAL PROPERTIES</b>				
* Chemical Resistance	ASTM C650	As reported	Resistant	Comply
* Stain Resistance	ASTM C1378	As reported	Resistant	Comply
Requirements verified as indicated in AMERICAN STANDARD, ANSI A137.1. AMERICAN NATIONAL STANDARD SPECIFICATIONS FOR CERAMIC TILE / Table 10: Porcelain Tile The weight, the tone and the dimensions are subject to some of the typical unavoidable variations of the processes of ceramic cooking.				
<b>DATE OF ISSUE</b>				
<b>Prepared by: Quality Supervisor</b>			<b>Reviewed by: Manager Quality Assurance</b>	
César Prado R.			Marlene Chauca R.	



**WC1224RM**

**WC2424RM**



**WC1224RM**

## Glazed Porcelain Tile

Finish: Matt

Formats : 12" x 24"- 24" x 24"

Also Available:

Mosaics 2"x 2" - Bullnose 3"x12"



Rectified



Matt



Floor



Wall



Moderate



Indoors



Light  
Commercial



Resistant



Comply

**Packing 24" x 24":** 477.72 sf/pallet - 30 bx/pallet - 2,225.88 Lbs/pallet - 4 pcs/box.

**Packing 12" x 24":** 571.72 sf/pallet - 32 bx/pallet - 2,401.84 Lbs/pallet - 9 pcs/box.





For Orders or More Information Please Contact:


**LUIS LOPEZ - Sales Representative**

[sales@alphatrade-inc.com](mailto:sales@alphatrade-inc.com)

**RICCARDO GROSSO - Authorized Dealer - FIABA, LLC**

[sales1@alphatrade-inc.com](mailto:sales1@alphatrade-inc.com)





**ALPHATRADE**

**6810 NW 82nd AVE**

**MIAMI, FL 33166**

**TEL: (305) 262-0357**

**[www.alphatrade-inc.com](http://www.alphatrade-inc.com)**

